



KOMO[®] product certificate

Semi-manufactured product

SKH

Visiting address:

'Het Cambium', Nieuwe Kanaal 9c, 6709 PA Wageningen, the Netherlands

Mailing address:

P.O. Box 159, 6700 AD Wageningen, the Netherlands

Telephone: +31 (0) 317 45 34 25 E-mail: mail@skh.org

Fax: +31 (0) 317 41 26 10 Website: http://www.skh.org

PARTICLEBOARD - FLAXBOARD for use in dry conditions in applications other than in construction E1 PRODUCTION OR FORMALDEHYDE-FREE PRODUCTION

Number: 32538/10 PDF
Issued: 19-05-2010
Supersedes: 32538/07

Producer

Linex-Pro-Grass

Emmabaan 79

4576 EC KOEWACHT

THE NETHERLANDS

Tel. +31 (0)114 36 16 57

Fax +31 (0)114 36 17 51

E-mail: info@linex-pg.nl

Website: http://www.linex-pg.nl

Declaration of SKH

This product certificate has been issued by SKH on the basis of BRL 1101 "Particleboard" dd. 06-07-2006, in accordance with the SKH Regulations for Certification.

SKH declares that there is a legitimate confidence that the particleboard manufactured by the producer continuously complies with the technical specification laid down in this product certificate, provided that it has been provided with the KOMO[®]-mark depicted hereunder, in a way as indicated in this product certificate.

For SKH

drs. H.J.O. van Doorn, director

Users of this product certificate are advised to enquire at SKH whether this document is still valid.

This product certificate consists of 3 pages.

The Dutch version shall be consulted in case of doubt.



The following has been assessed:
quality system
product
Periodic control

PARTICLEBOARD - FLAXBOARD

for use in dry conditions in applications other than in construction
 E1 PRODUCTION OR FORMALDEHYDE-FREE PRODUCTION

1 PRODUCT SPECIFICATION

1.1 Subject

Particleboard-flaxboard for use in dry conditions in applications other than in construction. For production of the particleboard-flaxboard, basically flax is used as the raw material.

1.1.1 Boards of the type LinexProGrass-FF have been produced with a formaldehyde-free glue.

1.2 Marking

Each sheet of particleboard-flaxboard shall be marked with the KOMO[®]-mark.

The execution of this mark is as follows:

- word mark KOMO[®] or logo;
- no. 32538;
- nominal thickness in mm;
- nominal density in kg/m³;
- indication E1 or
- indication "LinexProGrass-FF" in case of a formaldehyde-free production.



Location of the mark: clearly visible on each board supplied.

1.3 Product specification

The particleboard-flaxboard, manufactured by the producer, is in accordance with the requirements of chapter 4 of BRL 1101 "Particleboard". The product specifications are mentioned in tables 1 and 2.

1.3.1 Table 1: Description of various types of particleboard-flaxboard

Nominal thickness in mm	Density in kg/m ³	Formaldehyde class*	Remarks
18 - 52	301 - 350	E1	To be used in dry conditions only
18 - 52	351 - 400	E1	
18 - 52	401 - 450	E1	
12 - 50	451 - 500	E1	
12 - 50	501 - 550	E1	
12 - 30	551 - 600	E1	

* The formaldehyde contents determined in accordance with EN 120, fulfil the requirements for class E1.

1.3.2 Table 2: Description of various types of particleboard-flaxboard "LinexProGrass-FF"

Nominal thickness in mm	Density in kg/m ³	Formaldehyde class	Remarks
32 - 50	300 - 350	The "LinexProGrass-FF" has no formaldehyde emission at all. These panels are in compliance with CARB-regulations.	To be used in dry conditions only
18 - 50	351 - 400		
18 - 48	401 - 450		
18 - 44	451 - 500		
16 - 40	501 - 550		
16 - 30	551 - 650		

PARTICLEBOARD - FLAXBOARD

for use in dry conditions in applications other than in construction
E1 PRODUCTION OR FORMALDEHYDE-FREE PRODUCTION

2 SUGGESTIONS FOR THE USER

2.1 On delivery of the particleboard-flaxboard inspect whether:

- the products comply with the contract of sale;
- the mark and the manner of marking are correct;
- the products do not show any visible defects due to transport or similar causes.

If the products are rejected on the basis of the above, contact shall be made with:

Linex-Pro-Grass

and if desirable:

The certification-body SKH
Office building 'Het Cambium',
Nieuwe Kanaal 9c, 6709 PA Wageningen, the Netherlands
P.O. Box 159, 6700 AD Wageningen, the Netherlands
Telephone: +31 (0) 317 45 34 25 E-mail: mail@skh.org
Fax: +31 (0) 317 41 26 10 Website: http://www.skh.org

2.2 Product certificate

It is the duty of the producer to make sure that the buyer receives a copy of the complete product certificate.

2.3 Applications and use

The particleboard-flaxboard is suitable for use in dry conditions in applications other than in construction.

2.4 Period of validity

Consult the SKH-website <http://www.skh.org> to verify whether the product certificate is still valid.